

Customized AGV Lifting Mechanism Load 500KG AGV Lifter Rotatable

Our Product Introduction

for more products please visit us on roboticsagv.com


Basic Information

- Place of Origin: GUANGZHOU
- Brand Name: TIANYUE
- Certification: 3c.ce
- Model Number: JS-500-T
- Minimum Order Quantity: 1
- Packaging Details: wooden box
- Delivery Time: 30 work days
- Payment Terms: T/T
- Supply Ability: 100





Product Specification

- Motor: Servo Motor 24/48V
- Lifting Stroke: Customized
- Type: Lift And Rotate
- Size: Customized
- Application: AGV
- Highlight: Load 500KG AGV Lifter, AGV Lifting Mechanism 500KG, Customized AGV Lifting Mechanism



More Images



Product Description

Warehousing Lifting Mechanism Assembly AGV/AMR lifting rotating platform lifting load 500KG

升降参数

Lift parameter

类型 Type	X	行星减速机 Planetary reducer
行程 Route	mm	60
丝杆规格 Screw rod specification	mm	T32×5
减速机速比 Speed ratio of reducer	i	40
传动齿比 Gear ratio	I	1
升降速度 Up and down speed	mm/s	6.25
升降时间 Up and down time	s	9.6
限位传感器 Limit Sensor	SICK	常开NPN-24V Regular opening NPN-24V

电机参数

Motor parameters

负载 Load	Kg	500
电机功率 Motor power	W	400
电机电压 Motor voltage	V	48
电机转速 Motor speed	Rpm	3000
电机电流 Motor current	A	10.1
额定扭矩 Rated Torque	N·m	1.27
防护等级 Protection level	IP	54

旋转参数


Rotation parameter

类型 Type	X	行星减速机 Planetary reducer
减速机速比 Speed ratio of reducer	i	40
传动齿比 Gear ratio	i	6.04
旋转变移 Rotation Displacement	90/转90/rpm	1.51
旋转90° Rotate 90°	s	1.21
旋转原点 Origin of rotation	SICK	常开NPN-24V Regular opening NPN-24V

其它

Others

减速机润滑 Reducer lubrication	润滑脂 Grease	-20° ~ 200°
自重 Self weight	Kg	约 30



Guangzhou Tianyue Automation Technology Co., Ltd.

☎ 13570415240

✉ mkliangjintian@gmail.com

🌐 roboticsagv.com

Shop 23,24-101 ,32 Lihong Bei Lu,Jiutan Cun,Huadu District,Guangzhou City,China