



Load 1000KG Warehousing AGV Lifting Mechanism Assembly AMR Lifting Rotating Platform

Our Product Introduction


Basic Information

- Place of Origin: GUANGZHOU
- Brand Name: TIANYUE
- Certification: 3c.ce
- Model Number: JS-1000-T
- Minimum Order Quantity: 1
- Packaging Details: wooden box
- Delivery Time: 30 work days
- Payment Terms: T/T
- Supply Ability: 100





Product Specification

- Motor: Servo Motor 24/48V
- Lifting Stroke: Customized
- Type: Lift And Rotate
- Size: Customized
- Application: AGV
- Highlight: **1000KG AGV Lifting Mechanism, 1000KG agv lifter, Rotating AGV Lifting Mechanism**



More Images



for more products please visit us on roboticsagv.com

Product Description

升降参数 Lift parameter

类型 Type	X	行星减速机 Planetary reducer
行程 Route	mm	50
丝杆规格 Screw rod specification	mm	T36×6
减速机速比 Speed ratio of reducer	i	40
传动齿比 Gear ratio	I	1
升降速度 Up and down speed	mm/s	7.5
升降时间 Up and down time	s	6.67
限位传感器 Limit Sensor	SICK	常开NPN-24V Regular opening NPN-24V

电机参数 Motor parameters


负载 Load	Kg	1000
电机功率 Motor power	W	600
电机电压 Motor voltage	V	48
电机转速 Motor speed	Rpm	3000
电机电流 Motor current	A	18
额定扭矩 Rated Torque	N-m	1.91
防护等级 Protection level	IP	65



旋转参数 Rotation parameter

类型 Type	X	行星减速机 Planetary reducer
减速机速比 Speed ratio of reducer	i	40
传动齿比 Gear ratio	i	8.89
旋转位移 Rotation Displacement	90/转90/rpm	2.22
旋转90° Rotate 90°	s	1.78
旋转原点 Origin of rotation	SICK	常开NPN-24V Regular opening NPN-24V

其它 Others

减速机润滑 Reducer lubrication	润滑脂 Grease	-20° ~ 200°
自重 Self weight	Kg	约 58





Guangzhou Tianyue Automation Technology Co., Ltd.



13570415240



mkliangjintian@gmail.com



roboticsagv.com

Shop 23,24-101 ,32 Lihong Bei Lu,Jiutan Cun,Huadu District,Guangzhou City,China