Three Dimensional Warehouse Shuttle Telescopic Clip Type Pickup And Delivery Load 50KG

Basic Information

Place of Origin: GUANGZHOU
Brand Name: TIANYUE
Certification: 3c.ce

Model Number: TY-LKCS-S80

Minimum Order Quantity: 1

Packaging Details: wooden boxDelivery Time: 50 work days

Payment Terms: T/TSupply Ability: 100



Product Specification

Motor Way: Servo MotorSize: Customization

Power Supply: Lithium Iron PhosphatePickup Method: Telescopic Newspaper Folder

Load Weight: 80KG

• Highlight: Three Dimensional Warehouse Shuttle,

50KG Warehouse Shuttle, 50KG multi level shuttle




More Images



Product Description

Product Description

Name	Technical Parameters
Model	Turumeters
Maximum Load	80 kg
Maximum Speed (Unloaded)	2 m/s
Maximum Speed (Loaded)	1.5 m/s
Positioning Method	Fixed Optical Electric
Positioning Accuracy (Y Direction)	±2 mm
Motor Power	≤0.4 kW
Power Supply	Battery



multi-level shuttle

Applies to:

Can provide temporary storage solutions for boxes, trays, cartons or independent bundles;

Temporary storage driver for goods order assembly operations; intermediate temporary storage solution for goods-to-person applications;

Can automatically handle industries with many categories or frequently changing categories, such as retail, e-commerce or industrial product industries;

Features and Benefits:

Increased processing capacity: The processing capacity is more than 10 times that of traditional libraries.

High Utilization: Delivering goods to the picking workstation at a high rate increases the picker's effective working time

Higher storage density: supports multi-depth storage and processing of goods.

Precise sorting: Present goods to the picking station in accurate sorting

Backup redundancy: Identical interchangeable transports ensure quick replacement

™ Guangzhou Tianyue Automation Technology Co., Ltd.





